

Delivery Call-Off VDA4905 for Magna Steyr Graz

N10081-1

Standard

Supersedes Edition 06.2005

Purpose

This standard describes the specifications of Magna Steyr Graz for supplier concerning the usage of VDA4905 for the Delivery Call-Off.

Printed from B2B Magna Steyr

Author: W. Allmer

The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design. Nothing in this standard supersedes applicable laws and regulations.

G10100-101d

Index

| | |
|---|-----------|
| PURPOSE | 1 |
| INDEX..... | 2 |
| 1 MESSAGE DEFINITION | 3 |
| 1.1 Principles | 3 |
| 1.2 References | 3 |
| 2 FIELD OF APPLICATION | 3 |
| 3 MESSAGE DESCRIPTION | 4 |
| 3.1 Segment Table..... | 4 |
| 3.2 Branching Diagram | 5 |
| 3.3 Message Structure | 6 |
| 4 RECORD-TYPE DESCRIPTION | 7 |
| 4.1 Record Type 511..... | 8 |
| 4.2 Record Type 512..... | 9 |
| 4.3 Record Type 513..... | 11 |
| 4.4 Record Type 514..... | 14 |
| 4.5 Record Type 515..... | 15 |
| 4.6 Record Type 517..... | 16 |
| 4.7 Record Type 518..... | 17 |
| 4.8 Record Type 519..... | 18 |
| 5 EXAMPLES OF MESSAGE | 19 |
| 5.1 Example of message | 19 |
| 6 REVISIONS SINCE PREVIOUS VERSION | 19 |
| 7 LIST OF ABBREVIATIONS | 19 |

1 Message Definition

1.1 Principles

The message intends to:

- specify requirements based on the delivery conditions.
- define the aspects that guarantee synchronization between Magna Steyr Graz (MSG) and the supplier.
- provide information allowing the supplier to plan for future requirements, to purchase raw materials.

1.2 References

The Delivery Call-Off Message intends to:

- provide the message structure as defined by VDA for the for the Delivery Call-Off Message → VDA4905.
- provide the message structure defined by MSG and described in this document follows as close as possible the structure of VDA messages.
- provide the agreement between the trading partner on the data elements to be used, their unique definition, their representation and their values (coded or clear form) as identified in this documents.

2 Field of Application

Field of Application: The following definition of a Delivery Call-Off Message in VDA format is applicable for the interchange of delivery instructions issued by MSG for material deliveries to one or more MSG operations.

3 Message Description

Following pages contain a full description of the → VDA4905 message as implemented by MSG. The VDA segment description is complemented with remarks pertaining to the specific requirements for an interchange with MSG. Those remarks contain specific code values used, additional information on the values are shown in a specific field, etc. The aim of those remarks is to simplify the implementation of the message.


3.1 Segment Table

The following table shows all record-types as defined in the → VDA4905 message. **Shaded areas identify the record-types that are not used in the definition of → VDA4905 used by MSG.** This table should be read in conjunction with the branching diagram.

| Record-Type | Content | Status | Occurrence |
|-------------|--------------------------------------|--------|------------|
| 511 | Interchange Header | M | 1 |
| 512 | Data of Delivery Call-Off | M | 1 |
| 513 | Reconciliation & Call-Off Data | M | 1 |
| 514 | Additional Call-Off Data | C | R |
| 515 | Complementary Delivery Call-Off Data | C | 1 |
| 517 | Packaging Data | C | R |
| 518 | Text Data | C | R |
| 519 | Interchange Trailer | M | 1 |

3.2 Branching Diagram

The branching diagram shows the structure of the message. It is a combination of record-types that are organized in a certain hierarchical order. Only segments of the message that are used by MSG are shown in the following branching diagram.



3.3 Message Structure

The message structure illustrates how the message segments should be repeated in a → VDA4905 transmission to meet the requirements defined by MSG.

| | | |
|-----|-----|--------------------------------------|
| 511 | | Interchange Header |
| 512 | | Data of Delivery Call-Off |
| 513 | | Reconciliation & Call-Off Data |
| | 514 | Additional Call-Off Data |
| | 514 | Additional Call-Off Data |
| | 515 | Complementary Delivery Call-Off Data |
| | 517 | Packaging Data |
| | 518 | Text Data |
| 513 | | Reconciliation & Call-Off Data |
| | 515 | Complementary Delivery Call-Off Data |
| | 517 | Packaging Data |
| | 518 | Text Data |
| 519 | | Interchange Trailer |

4 Record-Type Description

The appearance resp. layout of the following record type description is based and leaned on the VDA-description to simplify the reading of this document.

Following remarks are valid for all of the further described record-types:

- Fields not used by MSG are grey shaded.
- Numeric-fields have to be right-aligned with preceding zeros. These fields do not contain decimals unless otherwise specified in the field-explanation.
- Alphanumeric-fields have to be left-aligned unless otherwise specified in the field-explanation.
- Column "VDA M/C" shows the information if a data-field is mandatory ("M") or conditional ("C") defined in the → VDA4905 description.
- Column "MSG M/C" shows the information if a data-field is mandatory ("M") or conditional ("C") for the usage with MSG. If a field is handled different to the VDA-standard the content is shown bold.
- Column "Feature" defines possible content of a data-field.

4.1 Record Type 511

| Record Types | Item | Element | VDA M/C | MSG M/C | Type | Length | from - to | Feature | Description |
|--------------|------|-------------------------|---------|---------|------|--------|-----------|---------|---|
| 511 | 01 | Record Type | M | M | N | 3 | 1-3 | 511 | |
| | 02 | Version | M | M | N | 2 | 4-5 | 01 | |
| | 03 | Customer Number | M | M | A | 9 | 6-14 | | Identity number assigned to a customer by the supplier. All data of a record structure, containing the field Customer No., are subject to data protection. |
| | 04 | Supplier Number | M | M | A | 9 | 15-23 | | Identity number assigned to a supplier (contractor) by the customer. All data of a record structure containing the field Customer No. are subject to data protection. |
| | 05 | Transmission Number Old | M | M | N | 5 | 24-28 | | See Transmission Number NEW. At the first transfer, the Transmission Number OLD (ALT) = Transfer Number NEW. |
| | 06 | Transmission Number New | M | M | N | 5 | 29-33 | | The person creating the data ("data creator") will assign a Transmission Number NEW to each transfer run. The value "00000" may not be used. The data creator and receiver will keep this number for each special field up to the next transmission of this special field. As the data creator states the Transmission Number New as well as the Transmission Number of the previous transmission run within this special field, the receiver can check the completeness of the transmission data records for each special field. Therefore, no uninterrupted ascending order will be necessary. |
| | 07 | Transmission date | M | M | N | 6 | 34-39 | | Format: YYMMDD |
| | 08 | Date Set to zero number | C | C | N | 6 | 40-45 | | Format: YYMMDD |
| | 09 | Empty | M | M | A | 83 | 46-128 | Blanks | filled with BLANKS |

4.2 Record Type 512

| Record Types | Item | Element | VDA M/C | MSG M/C | Type | Length | from - to | Feature | Description |
|--------------|------|------------------------------|---------|---------|------|--------|-----------|---------|---|
| 512 | 01 | Record Type | M | M | N | 3 | 1-3 | 512 | |
| | 02 | Version | M | M | N | 2 | 4-5 | 01 | |
| | 03 | Plant-Customer | M | M | A | 3 | 6-8 | | Plant of the customer to which the delivery has to be done. Coded customer format. |
| | 04 | Delivery Call-Off Number New | M | M | N | 9 | 9-17 | | The customer assigns a Delivery Call-Off Number to every run for preparing delivery schedule data. Customer and supplier will keep this number up to the next processing of delivery schedule data. As, however, the customer always states the Delivery Call-Off Number New as well as the number of the previous processing, the supplier can check the completeness of the delivery schedule data for each part number. |
| | 05 | Delivery Call-Off Date New | M | M | N | 6 | 18-23 | | Format: YYMMDD; in connection with Item 04. |
| | 06 | Delivery Call-Off Number Old | M | M | N | 9 | 24-32 | | See Delivery Call-Off Number New |
| | 07 | Delivery Call-Off Date Old | M | M | N | 6 | 33-38 | | Format: YYMMDD; in connection with Item 06. |
| | 08 | Part Number Customer | M | M | A | 22 | 39-60 | | Identity number assigned by the customer to an article. |
| | 09 | Part Number Supplier | C | C | A | 22 | 61-82 | | Identity number assigned by the supplier to an article. |
| | 10 | Contract/ Order Number | C | C | N | 12 | 83-94 | | Identity number assigned by the customer to an order or a basic contract. |
| | 11 | Point of Unloading | M | M | A | 5 | 95-99 | | The point of unloading identifies the point in the plant of the customer on which the goods have to be unloaded. Coded customer format. |
| | 12 | Customer Ref. | M | M | A | 4 | 100-103 | | |

| Record Types | Item | Element | VDA M/C | MSG M/C | Type | Length | from - to | Feature | Description |
|--------------|------|-----------------------|---------|---------|------|--------|-----------|-----------------------------|---|
| 512 | 13 | Unit of Quantity | M | M | A | 2 | 104-105 | ST, M, M2, M3, L, T, KG, KM | For being able to dimension production material: Coded format: ST = piece M = meter M2 = square meter M3 = cubic meter L = liter T = ton KG = kilogram KM = kilometer |
| | 14 | Delivery Interval | M | M | A | 1 | 106 | L, T, W, M | Coded format as follows: L = according to call-off date T = daily W = weekly M = monthly |
| | 15 | Manufacturing Release | C | C | N | 1 | 107 | | |
| | 16 | Material Release | C | C | N | 1 | 108 | | |
| | 17 | Using Code | M | M | A | 1 | 109 | S, E, U, V, P, Z, M, Y, X, | Coded format as follows: S = series E = replacement (Ersatz) general U = series and replacement V = test P = pilot Z = additional need M = first sample Y = sample (Muster) X = others |
| | 18 | Accounting code | C | C | A | 7 | 110-116 | | Also additional data of the customer, from the field (15) of the DIN-form 4991-94. |
| | 19 | Store | C | C | A | 7 | 117-123 | | Place of storage, in addition to the place of unloading. |
| | 20 | Empty | M | M | A | 5 | 124-128 | Blanks | |

4.3 Record Type 513

| Record Types | Item | Element | VDA M/C | MSG M/C | Type | Length | from - to | Feature | Description |
|--------------|------|--------------------------------------|---------|---------|------|--------|-----------|---------|---|
| 513 | 01 | Record Type | M | M | N | 3 | 1-3 | 513 | |
| | 02 | Version | M | M | N | 2 | 4-5 | 01 | |
| | 03 | Date of Registration Last Receipt | M | M | N | 6 | 6-11 | | Format: YYMMDD. The customer has booked the deliveries received up to that date and considered them in his disposition. |
| | 04 | Delivery Note Number Last Receipt | M | M | N | 8 | 12-19 | | Delivery Note Number of the last delivery booked at the customer. |
| | 05 | Delivery Note Date Last Receipt | M | M | N | 6 | 20-25 | | Delivery date of the last delivery booked at the customer. Format: YYMMDD. |
| | 06 | Quantity Last Receipt | M | M | N | 12 | 26-37 | | Quantity of the last delivery booked at the customer- 3 decimals |
| | 07 | Receipt Progress Number | M | M | N | 10 | 38-47 | | Progress number containing all deliveries booked from the customer from a certain moment, (e. g. from Jan. 1 st of the year), up to the effective day of the current delivery schedule accounting. |

| Record Types | Item | Element | VDA M/C | MSG M/C | Type | Length | from - to | Feature | Description |
|--------------|------|-----------------|---------|---------|------|--------|-----------|---------|--|
| 513 | 08 | Call-Off Date 1 | M | M | N | 6 | 48-53 | | <p>This field contains different types of representation:</p> <ol style="list-style-type: none"> 1. Format YYMMDD: means date of day as arrival date 2. Coded formats <p>000000 identifies the last schedule field of a part number in the present Delivery Call-Off. The corresponding quantity field as well as all the other call-off fields of the data record are BLANK.</p> <p>222222 means that there is no need for the part number. The corresponding quantity field as well as all the other call-off fields of this Record Type are BLANK.</p> <p>333333 identifies the corresponding quantity as ARREARS.</p> <p>444444 identifies the corresponding quantity as IMMEDIATE NEED.</p> <p>555555 identifies the end of the call-off-fields at which the quantity refers to the corresponding "date of arrival". The quantity belonging to this field is BLANK. If all quantities of a unique number are referring to a period the first Call-Off-Field starts with "555555".</p> <p>The Call-Off-Date can look like as follows: YYWWWW need for the period from week WW to week WW YYMM00 need for month MM YY00WW need for week WW</p> <p>999999 identifies the quantity field that may contain the forecast quantities of several months under the date "Rest".</p> <p>All numerical values used as YY, MM and DD correspond to the Gregorian Calendar.</p> |

| Record Types | No. | Element | VDA M/C | MSG M/C | Type | Length | from- to | Feature | Description |
|--------------|-----|---------------------|---------|---------|------|--------|----------|---------|---|
| 513 | 09 | Call-Off Quantity 1 | M | M | N | 9 | 54-62 | | Contains Call-Off Quantity 1. For all the Call-Off Quantities, Right-justified entry with leading zeros. No decimals |
| | 10 | Call-Off Date 2 | C | C | N | 6 | 63-68 | | see Call-Off Date 1 |
| | 11 | Call-Off Quantity 2 | C | C | N | 9 | 69-77 | | see Call-Off Quantity 1 |
| | 12 | Call-Off Date 3 | C | C | N | 6 | 78-83 | | see Call-Off Date 1 |
| | 13 | Call-Off Quantity 3 | C | C | N | 9 | 84-92 | | see Call-Off Quantity 1 |
| | 14 | Call-Off Date 4 | C | C | N | 6 | 93-98 | | see Call-Off Date 1 |
| | 15 | Call-Off Quantity 4 | C | C | N | 9 | 99-107 | | see Call-Off Quantity 1 |
| | 16 | Call-Off Date 5 | C | C | N | 6 | 108-113 | | see Call-Off Date 1 |
| | 17 | Call-Off Quantity 5 | C | C | N | 9 | 114-122 | | see Call-Off Quantity 1 |
| | 18 | Empty | M | M | A | 6 | 123-128 | Blanks | |

4.4 Record Type 514

| Record | No. | Element | VDA M/C | MSG M/C | Type | Length | from- to | Feature | Description |
|------------|-----|----------------------|---------|---------|------|--------|----------|---------|--|
| 514 | 01 | Record Type | M | M | N | 3 | 1-3 | 514 | |
| | 02 | Version | M | M | N | 2 | 4-5 | 01 | |
| | 03 | Call-Off-Date 6 | M | M | N | 6 | 6-11 | | See Call-Off-Date 1 Record Type 513 |
| | 04 | Call-Off-Quantity 6 | M | M | N | 9 | 12-20 | | See Call-Off-Quantity 1 Record Type 513 |
| | 05 | Call-Off-Date 7 | C | C | N | 6 | 21-26 | | See Call-Off-Date 1 |
| | 06 | Call-Off-Quantity 7 | C | C | N | 9 | 27-35 | | See Call-Off-Quantity 1 |
| | 07 | Call-Off-Date 8 | C | C | N | 6 | 36-41 | | See Call-Off-Date 1 |
| | 08 | Call-Off-Quantity 8 | C | C | N | 9 | 42-50 | | See Call-Off-Quantity 1 |
| | 09 | Call-Off-Date 9 | C | C | N | 6 | 51-56 | | See Call-Off-Date 1 |
| | 10 | Call-Off-Quantity 9 | C | C | N | 9 | 57-65 | | See Call-Off-Quantity 1 |
| | 11 | Call-Off-Date 10 | C | C | N | 6 | 66-71 | | See Call-Off-Date 1 |
| | 12 | Call-Off-Quantity 10 | C | C | N | 9 | 72-80 | | See Call-Off-Quantity 1 |
| | 13 | Call-Off-Date 11 | C | C | N | 6 | 81-86 | | See Call-Off-Date 1 |
| | 14 | Call-Off-Quantity 11 | C | C | N | 9 | 87-95 | | See Call-Off-Quantity 1 |
| | 15 | Call-Off-Date 12 | C | C | N | 6 | 96-101 | | See Call-Off-Date 1 |
| | 16 | Call-Off-Quantity 12 | C | C | N | 9 | 102-110 | | See Call-Off-Quantity 1 |
| | 17 | Call-Off-Date 13 | C | C | N | 6 | 111-116 | | See Call-Off-Date 1 |
| | 18 | Call-Off-Quantity 13 | C | C | N | 9 | 117-125 | | See Call-Off-Quantity 1 |
| | 19 | Empty | M | M | A | 3 | 126-128 | Blanks | |

4.5 Record Type 515

| Record Types | No. | Element | VDA M/C | MSG M/C | Type | Length | from- to | Feature | Description |
|--------------|-----|---|---------|----------|------|--------|----------|---------|--|
| 515 | 01 | Record Type | M | M | N | 3 | 1-3 | 515 | |
| | 02 | Version | M | M | N | 2 | 4-5 | 01 | |
| | 03 | Manufacturing release, starting date | C | C | N | 6 | 6-11 | | Format YYMMDD |
| | 04 | Manufacturing release, final date | C | M | N | 6 | 12-17 | | Format YYMMDD |
| | 05 | Manufacturing release, cumulated requirements | C | C | N | 10 | 18-27 | | Progress number of the manufacturing release, which is achieved at the final date; item 04 |
| | 06 | Material release, starting date | C | C | N | 6 | 28-33 | | Format YYMMDD |
| | 07 | Material release, final date | C | M | N | 6 | 34-39 | | Format YYMMDD |
| | 08 | Material release, cumulated requirements | C | C | N | 10 | 40-49 | | Progress number of the manufacturing release, which is achieved at the final date; item 07 |
| | 09 | Completing article code | C | C | A | 22 | 50-71 | | |
| | 10 | Intermediate supplier | C | C | A | 9 | 72-80 | | |
| | 11 | Date planning horizon | C | C | N | 6 | 81-86 | | Final date of the planning horizon |
| | 12 | Point of consumption | C | C | A | 14 | 87-100 | | |
| | 13 | Cumulative figure, achieved at zero position | C | C | N | 10 | 101-110 | | Last quantity receipt cumulative figure achieved before date for zero position" (Record Type 511, Item 08) |
| | 14 | Empty | M | M | A | 18 | 111-128 | Blanks | |

4.6 Record Type 517

| Record Types | No. | Element | VDA M/C | MSG M/C | Type | Length | from- to | Feature | Description |
|--------------|-----|---|---------|---------|------|--------|----------|---------|--|
| 517 | 01 | Record Type | M | M | N | 3 | 1-3 | 517 | |
| | 02 | Version | M | M | N | 2 | 4-5 | 01 | |
| | 03 | Part Number Customer for Packaging Material | M | M | A | 22 | 6-27 | | Identity number assigned by the customer to a packaging material. |
| | 04 | Part Number Supplier for Packaging Material | C | C | A | 22 | 28-49 | | Identity number assigned by the supplier to a packaging material. |
| | 05 | Volumetric Capacity | M | M | N | 7 | 50-56 | | The mathematical filling amount assigned to the packaging material for the part number. Right-justified entry with leading zeros. no decimals. |
| | 06 | Empty | M | M | A | 72 | 57-128 | Blanks | |

4.7 Record Type 518

| Record Types | No. | Element | VDA M/C | MSG M/C | Type | Length | from- to | Feature | Description |
|--------------|-----|--------------------------|---------|---------|------|--------|----------|---------|--------------------|
| 518 | 01 | Record Type | M | M | N | 3 | 1-3 | 518 | |
| | 02 | Version | M | M | N | 2 | 4-5 | 01 | |
| | 03 | Delivery Schedule Text 1 | M | M | A | 40 | 6-45 | | Modification index |
| | 04 | Delivery Schedule Text 2 | C | C | A | 40 | 46-85 | | |
| | 05 | Delivery Schedule Text 3 | C | C | A | 40 | 86-125 | | |
| | 06 | Empty | M | M | A | 3 | 126-128 | Blanks | |

Up to two additional record-types “518” will be send with the information concerning the second-last and third-last dispatch-advice from the supplier. These special record-types show the following structure:

| Record Types | No. | Element | VDA M/C | MSG M/C | Type | Length | from- to | Feature | Description |
|--------------|-----|--------------------------|---------|---------|------|--------|----------|---------|--|
| 518 | 01 | Record Type | M | M | N | 3 | 1-3 | 518 | |
| | 02 | Version | M | M | N | 2 | 4-5 | 01 | |
| | 03 | Delivery Schedule Text 1 | M | M | A | 40 | 6-45 | | Prefix “LS2:” or “LS3:” + dispatch-note-number in format n8 with leading zeros (e.g. “LS2:00036464”) |
| | 04 | Delivery Schedule Text 2 | C | C | A | 40 | 46-85 | | Dispatch-note-date of the dispatch-note in format YYMMDD (e.g. “040616”) |
| | 05 | Delivery Schedule Text 3 | C | C | A | 40 | 86-125 | | Quantity booked of the dispatch-note in format n12 with 3 decimals and leading zeros (e.g. “000000080000”) |
| | 06 | Empty | M | M | A | 3 | 126-128 | Blanks | |

4.8 Record Type 519

| Record Types | No. | Element | VDA M/C | MSG M/C | Type | Length | from- to | Feature | Description |
|--------------|-----|-------------------------|---------|---------|------|--------|----------|---------|-------------------------------------|
| 519 | 01 | Record Type | M | M | N | 3 | 1-3 | 519 | |
| | 02 | Version | M | M | N | 2 | 4-5 | 02 | |
| | 03 | Counter Record Type 511 | M | M | N | 7 | 6-12 | | Number transferred Record Type 511. |
| | 04 | Counter Record Type 512 | M | M | N | 7 | 13-19 | | Number transferred Record Type 512. |
| | 05 | Counter Record Type 513 | M | M | N | 7 | 20-26 | | Number transferred Record Type 513. |
| | 06 | Counter Record Type 514 | M | M | N | 7 | 27-33 | | Number transferred Record Type 514. |
| | 07 | Counter Record Type 517 | M | M | N | 7 | 34-40 | | Number transferred Record Type 517. |
| | 08 | Counter Record Type 518 | M | M | N | 7 | 41-47 | | Number transferred Record Type 518. |
| | 09 | Counter Record Type 519 | M | M | N | 7 | 48-54 | | Number transferred Record Type 519. |
| | 10 | Counter Record Type 515 | M | M | N | 7 | 55-61 | | Number transferred Record Type 515. |
| | 11 | Empty | M | M | A | 67 | 62-128 | Blanks | |

5 Examples of message

Following example is only illustrative and does not necessarily reflect an existing situation. It **may never** be used as a basis for programming or implementing this message.

To make the reading of the message-examples easier following modifications have been done on the further shown examples:

- a line-break has been inserted after each 128 characters
- each blank has been replaced by a full-stop (".")

These modifications will not be the case if the message is normally transmitted.

5.1 Example of message

```
51102987654 234567 0189301894150522150101
51201THO098398051150522098374015150520A4006183161
51301150522004273511310010000001000000000000000333333000000008444444000000001505260000001501505280000000015060200000000
514011506090000000001506110000000001506160000000001506180000000001506230000000001506250000001501506300000000015070200000000
514011507070000000001507090000000150150714000000000150716000000000555555000000000150700000000012150800000000001509000000000000
51401151000000000038151100000000060151200000000012160100000000006160200000000013160300000000041160400000000076160500000000068
514011606000000000871607000000000641608000000000471609000000000075161000000000075161100000000075161200000000060170100000000068
51401170200000000007617030000000000761704000000000241705000000000000000000
5150215010115072400000004701501011509300000000470 150930 0000000000
51701SFTC001 0000150
51701SFTC001 0000150
51801TRANS201505221256 0000000000000000000000000000 000000000
51801LS2:00426830 130906 000000080000
51801LS3:00425567 130619 000000100000
51201THO0983980521505220983961441505228809111 50117393 XB B7 STL S B7
51301150522004380581505180000000900000000003156333333000000000444444000000000150526000000090150528000000000150602000000090
514011506090000000090150611000000009015061600000000901506180000000001506230000000090150625000000090150630000000090150702000000090
514011507070000000090150709000000009015071400000000901507160000000090555555000000000150700000000901508000000004501509000000000810
5140115100000000063015110000000072015120000000045016010000000036016020000000054016030000000054016040000000540160500000000299
514011606000000000000000000000
51502150101150603000000033361501011506190000003606 150930 0000010773
517013103656 0000090
517013103656 0000090
51801B12BWEYG332
51801LS2:00437824 150506 000000090000
51801LS3:00437769 150504 000000090000
5190300000010000002000000200000090000004000000600000010000002
```

6 Revisions since previous version

Complete revision

7 List of abbreviations

| Abbreviation | Description |
|--------------|--------------------------------|
| MSG | Magna Steyr Graz |
| VDA | Verband der Automobilindustrie |